



001260\*29899960

Figure 1



007260 2989960

Figure 2



001260 2999960

Figure 3





Figure 4



001260 2989960

Figure 5






Figure 6




001260 2339360

Figure 7




001260 25099950

Figure 8




007260 2999960

Figure 9





A cross-sectional view of a device. It features a central gap or opening. The left side of the device is labeled 1002, the central gap is labeled 1004, the bottom surface is labeled 1006, and the right side is labeled 1008. The device has a layered structure with a hatched outer layer and a vertically striped inner layer.



001260 2989960

Figure 11





Figure 12



001260 2309960

Figure 13






Figure 14




007260 2989960

Figure 15




001260 2999960

Figure 16




00T260 25099960

Figure 17



00T260\*29999960

Figure 18



007260 2989960

Figure 19




Figure 20





Figure 21



001260 23899960

001260 29299960

Figure 22





Figure 23



001260 2999960

Figure 24





Figure 25








Figure 27



001260 29899960

Figure 28



001260 2989960

Figure 29




Figure 30






Figure 31





09666862.092100  
001260 29899960

Figure 33




Figure 34




Figure 35 .

3502	3504	3506	3508	3510	3512	3514
IC chip number	User information	Information to check soundness	Content of service	Status of use	Term of validity	

Figure 36





Figure 37



00T260 29899960

Figure 38






Figure 39



001260 29899560

Figure 40



007260 29999960

Figure 41




Figure 42

Service facility A

001260 2999960

4202	4204	4206	4208	4210	4212	4226
IC chip number	User information	Information to check soundness	Content of service	Status of use	Term of validity	

Service facility B

4214	4216	4218	4220	4222	4224	4228
IC chip number	User information	Information to check soundness	Content of service	Status of use	Term of validity	

Figure 43




Figure 44




Figure 45




Figure 46

IC chip number	Facility of service

Figure 47

